



MAYHEWTM
Since 1856
TOOLS

MAYHEW
SCREWDRIVERS

U.S.A. MADE





31021

4 PC Micro Slotted & Phillips® Set

Part Number	Length	Width	STD Pack	COO	UPC
31021	9.000	4.750	5	U.S.A.	045256310213

COMPONENTS:

Part Number	Description	Driver Type	OAL	Weight
31301	SD-SLOTTED 5/64" RD X 2"		4.500	0.03
31302	SD-SLOTTED 3/32" RD X 2-1/2"		5.000	0.03
31351	SD-PHILLIPS NO. 000 X 2"		4.500	0.03
31352	SD-PHILLIPS NO. 00 X 2-1/2"		5.000	0.03



MAYHEW Micro Screwdrivers

- Ergonomic Nylon 6 square handle for a comfortable and sure grip.
 - Nylon 6 is a tough, high tensile strength, elastic polymer material that is highly resistant to abrasion and a variety of chemicals
- All blades are manufactured using high alloy steels.
- Each tip is precision CNC machined to industry specifications with tight tolerances for sure and reliable fastener engagement. They are concentric, true and straight with minimal run-out
- Exceeds ANSI, ASME, and government standards (GGG, ISO).
- Custom heat treat and temper process produces the perfect combination of hardness and ductility to achieve the strength, durability and performance that the professional demands and appreciates.
- Smooth natural finish with Rust Preventative Coating for excellent corrosion resistance.



31030 4 PC Micro Torx® Set

Part Number	Length	Width	STD Pack	COO	UPC
31030	9.000	4.750	5	U.S.A.	045256310305

COMPONENTS:

Part Number	Description	Driver Type	OAL	Weight
31392	SD-TORX® T6 X 2"		4.500	0.03
31394	SD-TORX® T7 X 2"		4.500	0.03
31396	SD-TORX® T8 X 2-1/2"		5.000	0.03
31398	SD-TORX® T9 X 2-1/2"		5.000	0.03



27024T 8 PC SLOTTED & PHILLIPS®

Part Number	Length	Width	STD Pack	COO	UPC
27024T	8.000	16.000	1	U.S.A.	N/A

COMPONENTS:

Part Number	Description	Driver Type	OAL	Weight
27303	SD-SLOTTED 1/8" RD X 3"		6.250	0.076
27313	SD-SLOTTED 3/16" RD X 4"		8.000	0.156
27320	SD-SLOTTED 1/4" SQ X 1-1/2"		3.750	0.141
27322	SD-SLOTTED 1/4" RD X 4"		8.500	0.246
27353	SD-PHILLIPS NO. 0 X 3"		6.250	0.076
27362	SD-PHILLIPS NO. 1 X 4"		8.000	0.159
27368	SD-PHILLIPS NO. 2 X 1-1/2"		3.750	0.145
27370	SD-PHILLIPS NO. 2 X 4"		8.500	0.250

MAYHEW Screwdrivers

- Ergonomic acetate trilobe handle for maximum strength and torque transfer.
 - Acetate is a naturally occurring renewable resource derived from wood pulp and cotton fiber. It is an extremely rugged impact and chemically resistant material, including being resistant to all sorts of common mechanical and automotive fluids.
- Ribbed design on neck for fingertip control and a no-slip grip.
- All blades are manufactured using Tempered high alloy steels.
- Each tip is precision CNC machined to industry specifications with tight tolerances for sure and reliable fastener engagement. They are concentric, true and straight with minimal run-out
- Sets come in custom molded trays, designed to fit inside tool drawers
- Exceeds ANSI, ASME, and government standards (GGG, ISO).
- Custom heat treat and temper process produces the perfect combination of hardness and ductility to achieve the strength, durability and performance that the professional demands and appreciates.
- Smooth natural finish with Rust Preventative Coating for excellent corrosion resistance.

27021LT

6 PC Long Slotted & Phillips®

Part Number	Length	Width	STD Pack	COO	UPC
27021LT	8.000	16.000	1	U.S.A.	N/A

COMPONENTS:

Part Number	Description	Driver Type	OAL	Weight
27306	SD-SLOTTED 1/8" RD X 6"		9.250	0.0871
27316	SD-SLOTTED 3/16" RD X 6"		10.00	0.1722
27325	SD-SLOTTED 1/4" RD X 6"		10.50	0.2736
27355	SD-PHILLIPS NO. 0 X 6"		9.250	0.0871
27364	SD-PHILLIPS NO. 1 X 6"		10.00	0.1742
27372	SD-PHILLIPS NO. 2 X 6"		10.50	0.2776

27031T

7 PC Torx® Set

Part Number	Length	Width	STD Pack	COO	UPC
27031T	8.000	16.000	1	U.S.A.	N/A

COMPONENTS:

Part Number	Description	Driver Type	OAL	Weight
27400	SD-TORX® T10 X 3"		7.000	0.149
27402	SD-TORX® T15 X 3"		7.000	0.150
27404	SD-TORX® T20 X 3"		7.000	0.150
27406	SD-TORX® T25 X 4"		8.000	0.158
27408	SD-TORX® T27 X 4"		8.500	0.251
27410	SD-TORX® T30 X 4"		8.500	0.252
27412	SD-TORX® T40 X 5"		9.500	0.315



Slotted

Part Number	Description	Weight	OAL	STD Pack
27300	SD-SLOTTED 1/16" RD X 1-1/2"	0.040	7.250	10
27301	SD-SLOTTED 5/64" RD X 2"	0.041	7.250	10
27302	SD-SLOTTED 3/32" RD X 2-1/2"	0.043	7.250	10
27303	SD-SLOTTED 1/8" RD X 3"	0.076	7.250	10
27306	SD-SLOTTED 1/8" RD X 6"	0.087	9.250	10
27308	SD-SLOTTED 1/8" RD X 8"	0.094	11.250	10
27311	SD-SLOTTED 3/16" RD X 3"	0.149	7.000	10
27313	SD-SLOTTED 3/16" RD X 4"	0.156	8.000	10
27316	SD-SLOTTED 3/16" RD X 6"	0.172	10.000	10
27318	SD-SLOTTED 3/16" RD X 8"	0.187	12.000	10
27319	SD-SLOTTED 3/16" RD X 10"	0.203	14.000	10
27320	SD-SLOTTED 1/4" SQ X 1-1/2"	0.141	3.750	10
27322	SD-SLOTTED 1/4" RD X 4"	0.246	8.500	10
27325	SD-SLOTTED 1/4" RD X 6"	0.273	10.500	10
27328	SD-SLOTTED 1/4" RD X 8"	0.301	12.500	10
27330	SD-SLOTTED 1/4" RD X 12"	0.355	16.500	10
27331	SD-SLOTTED 1/4" RD X 16"	0.408	20.500	10
27332	SD-SLOTTED 1/4" RD X 20"	0.467	24.500	10
27333	SD-SLOTTED 1/4" RD X 24"	0.555	28.500	10
27334	SD-SLOTTED 5/16" RD X 6"	0.382	11.000	10
27337	SD-SLOTTED 5/16" RD X 8"	0.424	13.000	10
27340	SD-SLOTTED 5/16" RD X 10"	0.486	15.000	10
27341	SD-SLOTTED 3/8" RD X 8"	0.504	13.000	10
27344	SD-SLOTTED 3/8" RD X 10"	0.566	15.000	10
27346	SD-SLOTTED 3/8" RD X 12"	0.628	17.000	10
27321	SD-SLOTTED 1/4" SQ X 1-1/2"	0.220	6.000	10
27323	SD-SLOTTED 1/4" SQ X 4"	0.275	8.250	10
27326	SD-SLOTTED 1/4" SQ X 6"	0.311	10.500	10
27335	SD-SLOTTED 5/16" SQ X 6"	0.444	11.000	10
27338	SD-SLOTTED 5/16" SQ X 8"	0.499	13.000	10
27342	SD-SLOTTED 3/8" SQ X 8"	0.615	13.000	10
27345	SD-SLOTTED 3/8" SQ X 10"	0.695	15.000	10
27347	SD-SLOTTED 3/8" SQ X 12"	0.775	17.000	10



Phillips®

Part Number	Description	Weight	OAL	STD Pack
27353	SD-PHILLIPS NO. 0 X 3"	0.076	6.250	10
27355	SD-PHILLIPS NO. 0 X 6"	0.087	9.250	10
27358	SD-PHILLIPS NO. 1 SQ X 1-1/2"	0.120	7.250	10
27360	SD-PHILLIPS NO. 1 X 3"	0.150	7.000	10
27362	SD-PHILLIPS NO. 1 X 4"	0.159	8.000	10
27364	SD-PHILLIPS NO. 1 X 6"	0.174	10.000	10
27365	SD-PHILLIPS NO. 1 X 8"	0.189	12.000	10
27367	SD-PHILLIPS NO. 1 X 10"	0.205	14.000	10
27368	SD-PHILLIPS NO. 2 X 1-1/2"	0.145	3.750	10
27370	SD-PHILLIPS NO. 2 X 4"	0.250	8.500	10
27372	SD-PHILLIPS NO. 2 X 6"	0.277	10.500	10
27375	SD-PHILLIPS NO. 2 X 8"	0.305	12.750	10
27377	SD-PHILLIPS NO. 2 X 12"	0.361	16.750	10
27378	SD-PHILLIPS NO. 2 X 16"	0.416	20.500	10
27379	SD-PHILLIPS NO. 2 X 20"	0.472	24.500	10
27380	SD-PHILLIPS NO. 2 X 24"	0.527	28.500	10
27381	SD-PHILLIPS NO. 3 X 6"	0.392	11.000	10
27383	SD-PHILLIPS NO. 3 X 8"	0.392	13.000	10
27386	SD-PHILLIPS NO. 4 X 8"	0.523	13.000	10
27357	SD-PHILLIPS NO. 0 X 8"	0.094	11.250	10
27352	SD-PHILLIPS NO. 00 X 2-1/2"	0.043	5.250	10
27359	SD-PHILLIPS NO. 1 SQ X 1-1/2"	0.147	5.500	10
27369	SD-PHILLIPS NO. 2 X 1-1/2"	0.224	6.000	10

Torx®

Part Number	Description	Weight	OAL	STD Pack
27390	SD-TORX® T5 X 1-1/2"	0.040	4.250	10
27392	SD-TORX® T6 X 2"	0.041	4.750	10
27394	SD-TORX® T7 X 2"	0.041	5.250	10
27396	SD-TORX® T8 X 2-1/2"	0.074	5.250	10
27400	SD-TORX® T10 X 3"	0.149	7.000	10
27402	SD-TORX® T15 X 3"	0.150	7.000	10
27404	SD-TORX® T20 X 3"	0.150	7.000	10
27406	SD-TORX® T25 X 4"	0.158	8.000	10
27408	SD-TORX® T27 X 4"	0.251	8.500	10
27410	SD-TORX® T30 X 4"	0.252	8.500	10
27412	SD-TORX® T40 X 5"	0.315	9.500	10
27398	SD-TORX® T9 X 2-1/2"	0.074	5.250	10
27401	SD-TORX® T10 X 6"	0.178	10.000	10
27403	SD-TORX® T15 X 6"	0.173	10.000	10
27405	SD-TORX® T20 X 6"	0.173	10.000	10
27407	SD-TORX® T25 X 8"	0.189	12.000	10
27409	SD-TORX® T27 X 8"	0.305	12.500	10
27411	SD-TORX® T30 X 8"	0.306	12.500	10
27414	SD-TORX® T45 X 5"	0.373	10.000	10

Torx® Tamper Resistant

Part Number	Description	Weight	OAL	STD Pack
27419	SD-TORX® TAMPERPRF T8H X 6"	0.175	10.000	10
27421	SD-TORX® TAMPERPRF T10H X 6"	0.175	10.000	10
27422	SD-TORX® TAMPERPRF T15H X 6"	0.175	10.000	10
27423	SD-TORX® TAMPERPRF T20H X 6"	0.175	10.000	10
27424	SD-TORX® TAMPERPRF T25H X 6"	0.175	10.000	10

Nutdriver

Part Number	Description	Weight	OAL	STD Pack
27505	SD-NUTDRVR-HOLLOW 5/16 X 3	0.377	7.250	10

Square Recess

Part Number	Description	Weight	OAL	STD Pack
27550	SD-SQUARE RECESS #0 X 3"	0.0766	7.250	10
27552	SD-SQUARE RECESS #1 X 4"	0.1587	8.000	10
27554	SD-SQUARE RECESS #1 X 8"	0.189	12.000	10
27555	SD-SQUARE RECESS #2 X 4"	0.2516	8.500	10
27557	SD-SQUARE RECESS #2 X 8"	0.3071	12.500	10
27559	SD-SQUARE RECESS #3 X 4"	0.2511	8.500	10
27561	SD-SQUARE RECESS #3 X 8"	0.3061	12.500	10
27563	SD-SQUARE RECESS #4 X 5"	0.3142	9.500	10

Torq-Set®

Part Number	Description	Weight	OAL	STD Pack
27710	SD-#2 TORQ-SET® X 3"	0.152	7.250	10
27711	SD-#4 TORQ-SET® X 3"	0.152	7.250	10
27713	SD-#8 TORQ-SET® X 4"	0.254	7.250	10

MAYHEW™

Since 1856

TOOLS



Mayhew Tools forges the best tools from the finest materials and during our more than 160-year history have expanded beyond punch and chisel sets to provide a myriad of products for the do-it-yourselfers to the industry professional with the same dedication to upholding true American craftsmanship that Mayhew Tools is known for industry-wide

MAYHEW STEEL PRODUCTS, INC.

199 Industrial Blvd.
Turners Falls, MA 01376 U.S.A.
U.S. Toll-Free: 1 800 872-0037
Phone: 1 (413) 863-4860
Fax: 1 (413) 863-8464
www.mayhew.com

ISO 9001:2015 certified

